


**Profec Stub flange PVC-U 225
mm glue socket 10bar DN200
grey PN10 WRAS (0110913)**



TECHNICAL SPECIFICATIONS

Colour	grey
Material	PVC-U
Approval	WRAS
Material housing	PVC-U
Material seal	EPDM
Connection	glue socket
Size	225 mm
Packaging	6 pcs
DN	200
Flange	PN10
Outer ø	248 mm
Weight	1.803 kg
Thickness	25 mm
Pressure	10 bar
PCD	248 mm

DIMENSIONS


Db	274 mm
----	--------

Lb	125 mm
----	--------

T	25 mm
---	-------

ØDi-1	225 mm
-------	--------

ØDo-1	248 mm
-------	--------



PRODUCT INFORMATION

Next to the connection dimensions (Size and PCD) for the backing rings and stub flanges we show the inner-hole size of the backing flange and the pipe size from the stub flange.

For backing rings, the inner hole size is given in column Inner Ø

For stub flanges, the pipe size is given in column Outer Ø

Last modified date: 04/09/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>