

**PSH Pool pump PP/GF30 1 1/2"  
female thread 1,7A 230VAC  
black type Micro 33 (7032212)**



 P S H

# TECHNICAL SPECIFICATIONS

|                     |                       |
|---------------------|-----------------------|
| Colour              | black                 |
| Shaft               | stainless steel 416   |
| Pump body           | PP/GF30               |
| Material impeller 1 | noryl                 |
| Material cover      | PP/GF30               |
| Material seal       | carbon/ceramic        |
| Connection          | female thread         |
| Length              | 432 mm                |
| Voltage             | 230VAC                |
| Max. temperature    | 40 °C                 |
| Width               | 176 mm                |
| Height              | 218.6 mm              |
| Frequency           | 50 Hz                 |
| IP value            | IP55                  |
| Motor RPM           | 2900                  |
| Type                | Micro 33              |
| Capacity            | 9,9 m <sup>3</sup> /h |

Output Power 0,33 HP



Size 1 1/2"

Weight 7.4 kg

Power 0.25 kW

MWC 11

Ampere 1,7 A



## PRODUCT INFORMATION

Specially designed for small pools, above ground pools and spas.

Features:

- Connection: female thread
- Self-priming
- Suitable for operation with salt chlorinators and sea water up to 3,5% (35gr/l)
- Thermal protection included
- Supplied with 1m cable with Schuko plug
- Insulation Class: F
- Protection: IP55
- Motor: 50Hz/2900rpm with option of 60Hz
- Max water temperature: 40°C

**Last modified date: 08/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>