

**Submersible pump plastic 1" x
1 1/2" x 1" hose tail x male
thread x hose tail 3A 230VAC
blue type IPK 400 (7031122)**



TECHNICAL SPECIFICATIONS

Colour	blue
--------	------

Type	IPK
------	-----

Material	plastic
----------	---------

Output Power	0,53 HP
--------------	---------

Pump body	plastic
-----------	---------

Material impeller 1	Noryl
---------------------	-------

Max. head	5 m
-----------	-----

Connection	hose tail x male thread x hose tail
------------	-------------------------------------

Type	400
------	-----

Float	included
-------	----------

Voltage	230VAC
---------	--------

Max. temperature	35 °C
------------------	-------

Power	0.4 kW
-------	--------

Ampere	3 A
--------	-----

Max flow rate	7.5 m ³ /h
---------------	-----------------------

Maximum ambient temperature 40 °C

Size	1" x 1 1/2" x 1"
------	------------------

BEP Capacity 4.8

BEP Head 3.3

PORlh 4.2

PORhh 2.2

PORlq 3.36

PORhq 5.76



DIMENSIONS

Db 155 mm

H-1 120 mm

H-2 345 mm

ØDi-1 1 1/2 "



PRODUCT INFORMATION

For clean water only. Max. immersion depth: 5 metres. Switch is located in the float inside a special chamber and it operates on a vertical position. Installation: vertical, fixed or portable. 8 mtr cable and DIN plug

Last modified date: 05/09/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>