

Submersible borehole pump 1" female thread 10A 230/400VAC type SKM 150 with control box - oil cooling (7031109)



TECHNICAL SPECIFICATIONS

Pump body	stainless steel 304
-----------	---------------------

Material impeller 1	brass
---------------------	-------

Connection	female thread
------------	---------------

Type	with control box - oil cooling
------	--------------------------------

Max. temperature	35 °C
------------------	-------

Outer ø	98 mm
---------	-------

Press	1 "
-------	-----

Maximum ambient temperature 35 °C

IP value	IP68
----------	------

Type	SKM 150
------	---------

Output Power	1,5 HP
--------------	--------

Max. head	107 m
-----------	-------

Size	1"
------	----

Voltage	230/400VAC
---------	------------

Weight	16 kg
--------	-------

Power	1.1 kW
-------	--------

Impellers	2
-----------	---

Height	530 mm
--------	--------

Ampere	10 A
--------	------

Max flow rate	3 m ³ /h
---------------	---------------------

BEP Capacity	2.1
--------------	-----

BEP Head	25
----------	----

PORlh	48
-------	----

PORhh	11
-------	----

PORlq	1.47
-------	------

PORhq	2.52
-------	------



DIMENSIONS

Db	98 mm
----	-------


H-1	530 mm
-----	--------

ØDi-1	1 "
-------	-----

ØDi-1



H-1



bosta
bringing water to life

PRODUCT INFORMATION

Submersible borehole pump kit with built-in capacitor. Includes control box. With 20 metres cable, DIN plug and control box. UK / DIN plug included for UK deliveries

Last modified date: 05/09/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>