

**Profec Pool hose PVC 16 mm x  
20 mm 7bar grey 25m type  
Poolflex (0519011)**



# TECHNICAL SPECIFICATIONS

|        |      |
|--------|------|
| Colour | grey |
|--------|------|

|      |          |
|------|----------|
| Type | Poolflex |
|------|----------|

|          |     |
|----------|-----|
| Material | PVC |
|----------|-----|

|                   |              |
|-------------------|--------------|
| Temperature range | -10°C - 55°C |
|-------------------|--------------|

|      |               |
|------|---------------|
| Size | 16 mm x 20 mm |
|------|---------------|

|        |      |
|--------|------|
| Length | 25 m |
|--------|------|

|         |       |
|---------|-------|
| Inner ø | 16 mm |
|---------|-------|

|         |       |
|---------|-------|
| Outer ø | 20 mm |
|---------|-------|

|                |       |
|----------------|-------|
| Bending radius | 60 mm |
|----------------|-------|

|          |       |
|----------|-------|
| Pressure | 7 bar |
|----------|-------|

|                |      |
|----------------|------|
| Wall thickness | 2 mm |
|----------------|------|

## PRODUCT INFORMATION

Because of the smooth exterior, this hose can be glued with normal PVC fittings and Profec PVC glue, type S3 or Griffon WDF-05.

**Last modified date: 05/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>