


**VIR Ball valve brass chrome  
plated 3/4" female thread x  
male thread 40bar WRAS/VA  
type K343F (0401333)**



# TECHNICAL SPECIFICATIONS

|                      |                             |
|----------------------|-----------------------------|
| Type                 | K343F                       |
| Material             | brass                       |
| Surface treatment    | chrome plated               |
| Approval             | WRAS/VA                     |
| Operation            | butterfly handle            |
| Colour lever         | red                         |
| Handle material      | aluminium                   |
| Housing construction | 2-part                      |
| Ball material        | hard chrome plated brass    |
| Material housing     | brass                       |
| Material seal        | PTFE                        |
| Connection           | female thread x male thread |
| Flow                 | full                        |
| Temperature range    | 0°C - 150°C                 |
| Pressure             | 40 bar                      |
| Size                 | 3/4"                        |

# DIMENSIONS

Handle height 43

Lb 65 mm

ØDi-1 3/4 "

ØDo-2 3/4 "


F-1 12 mm

F-2 12 mm

Ct-1 43 mm

R 27.5 mm

ØDf 20 mm



**Last modified date: 12/02/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>