

**Foras Jet pump cast iron 1"
female thread 7bar 4,7A
230VAC blue self priming type
JA 106 N/1 (7034788)**



TECHNICAL SPECIFICATIONS

| | |
|---|---------------|
| Colour | blue |
| Material | cast iron |
| Pump body | cast iron |
| Material impeller 1 | noryl |
| Model | self priming |
| Connection | female thread |
| Seal | type A |
| Max. temperature | 50 °C |
| Press | 1 " |
| Suction | 1 " |
| Type | JA 106 N/1 |
| Max. head | 47 m |
| Size | 1" |
| Voltage | 230VAC |
| Minimum medium temperature (continuous) | 0 °C |
| Power | 1.02 kW |

Ampere 4,7 A

Max flow rate 3.6 m³/h

Maximum ambient temperature 40 °C

BEP Capacity 3

BEP Head 27

PORlh 35

PORhh 47

PORlq 2.1

PORhq 3.6

Minimum ambient temperature 0 °C

DIMENSIONS

Cb-1 152 mm

Cb-1 150 mm

Cb-2 195 mm

Cl-1 119 mm

Cr-1 140 mm

Ct-1 43 mm

G-1 140 mm

H 195 mm

H 195 mm

L 420 mm

L 410 mm

LM 190 mm

Mr 214 mm



O 9.7 mm

W 180 mm

W-1 180 mm

ØDi-1 1 "

ØDi-2 1 "



PRODUCT INFORMATION

Pumps JA 60 M up to 100 JA M are supplied with cable and DIN plug. UK / DIN plug included for UK deliveries

Last modified date: 12/06/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>