

NaanDan Full circle sprinkler plastic 1/2" male thread brown type Super 10 FR (7020997)



NaanDan
by Rivulis

TECHNICAL SPECIFICATIONS

Type Super 10 FR

Material plastic

Connection male thread

Angle 25 °

Rec. press. 3 -5 bar

Colour brown

Capacity 3bar 0,32 m³/h

Capacity 4bar 0,32 m³/h

Capacity 5bar 0,32 m³/h

Size 1/2"

Max diameter 19 m

Radius 3bar 9,5 m

Radius 4bar 9,5 m

Radius 5bar 9,5 m

Type Super 10 Flow Regulated														
brown			blue			yellow			green			red		
Bar	Q	Ø	Bar	Q	Ø	Bar	Q	Ø	Bar	Q	Ø	Bar	Q	Ø
3,0 - 5,0	0,32	17	3,0 - 5,0	0,36	18	3,0 - 5,0	0,45	20	3,0 - 5,0	0,55	20	3,0 - 5,0	0,67	20,5



bosta
bringing water to life

PRODUCT INFORMATION

Ball driven sprinkler with 2 orifice nozzle design that increases uniformity and wind resistance.
Flow regulated version will deliver the same flow at pressures from 3.0 - 5.0 bar.
Brown nozzle for road protector only.

Last modified date: 06/11/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>