Foras Centrifugal pump cast iron DN65 x 65 mm x DN50 x 50 mm DIN flange 10bar 27A 400/690VAC blue type MN50 200 A (0920311)

FORAS WATER PUMPS

bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	blue
Material	cast iron
Material impeller 1	cast iron
Connection	DIN flange
Voltage	400/690VAC
Max. temperature	90 °C
Minimum medium temperature (continuous)	-10 °C
Maximum ambient temperature	40 °C
Minimum ambient temperature	0 °C
Type	MN50 200 A
Output Power	20 HP
Size	DN65 x 65 mm x DN50 x 50 mm
Seal	type H
Length	705 mm
Width	290 mm
Weight	132.5 kg

Power	15 kW
MWC	58
Height	360 mm
Max flow rate	78 m^3/h
BEP Capacity	54
BEP Head	51
Efficiency	56 %
Press	50
Suction	65
Packaging dimensions L/W/H	810 x 354 x 480 mm

DIMENSIONS

H	360 mm
L	705 mm
W-1	265 mm
ØDi-1	65 mm
ØDi-2	50 mm
O	14 mm
Cb-1	160 mm

Ct-1	200 mm
G-1	212 mm
Cl-1	100 mm
W-2	290 mm
Mc	70 mm
H	360 mm







PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.
Mechanical seal.
Maximum water temperature 90°C.

Last modified date: 12/02/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA

T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life