

Submersible borehole pump 1" female thread 5,8A 230VAC type SKM 100 with control box - oil cooling (7031108)



TECHNICAL SPECIFICATIONS

Pump body	stainless steel 304
-----------	---------------------

Material impeller 1	brass
---------------------	-------

Connection	female thread
------------	---------------

Type	with control box - oil cooling
------	--------------------------------

Max. temperature	35 °C
------------------	-------

Outer ø	98 mm
---------	-------

Press	1 "
-------	-----

Maximum ambient temperature 35 °C

IP value	IP68
----------	------

Type	SKM 100
------	---------

Output Power	1 HP
--------------	------

Max. head	60 m
-----------	------

Size	1"
------	----

Voltage	230VAC
---------	--------

Weight	16 kg
--------	-------

Power	0.75 kW
-------	---------

Impellers	1
-----------	---

Height	530 mm
--------	--------

Ampere	5,8 A
--------	-------

Max flow rate	2.7 m ³ /h
---------------	-----------------------

BEP Capacity	1.8
--------------	-----

BEP Head	18
----------	----

PORlh	25
-------	----

PORhh	8
-------	---

PORlq	1.26
-------	------

PORhq	2.16
-------	------



DIMENSIONS

Db	98 mm
----	-------


H-1	530 mm
-----	--------

ØDi-1	1 "
-------	-----

ØDi-1



H-1



bosta
bringing water to life

PRODUCT INFORMATION

Submersible borehole pump kit with built-in capacitor. Includes control box. With 20 metres cable, DIN plug and control box. UK / DIN plug included for UK deliveries

Last modified date: 05/09/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>