

**Praher 3-way ball valve L-bore
PVC-U 50 mm glue socket 3bar
DN40 24VAC grey type L-bore
side connection (0111526)**



**PRAHER
GROUP**

TECHNICAL SPECIFICATIONS

Colour	grey
--------	------

Type	L-bore
------	--------

Material	PVC-U
----------	-------

Operation	actuator 24V
-----------	--------------

Colour lever	red
--------------	-----

Shaft	PVC
-------	-----

Switching time	26 sec.
----------------	---------

Material housing	PVC-U
------------------	-------

Material seal	PTFE/EPDM
---------------	-----------

Ball bore	L-bore
-----------	--------

Connection type	side connection
-----------------	-----------------

Connection	glue socket
------------	-------------

Voltage	24VAC
---------	-------

Temperature range	0°C - 60°C
-------------------	------------

Power	8 W
-------	-----

Pressure	3 bar
----------	-------

Size	50 mm
------	-------

DN

40

DIMENSIONS

ØDf

40 mm

PRODUCT INFORMATION

Electric actuator with manual override. With ball position indicator.

Last modified date: 30/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>