

# Profec Ball valve brass nickel plated 2" female thread 10bar DVGW type 107 (0401188)



# TECHNICAL SPECIFICATIONS

|                      |                          |
|----------------------|--------------------------|
| Type                 | 107                      |
| Material             | brass                    |
| Surface treatment    | nickel plated            |
| Approval             | DVGW                     |
| Operation            | lever                    |
| Colour lever         | yellow                   |
| Handle material      | steel                    |
| Housing construction | 2-part                   |
| Ball material        | hard chrome plated brass |
| Material housing     | brass                    |
| Material seal        | PTFE                     |
| Connection           | female thread            |
| Flow                 | full                     |
| Temperature range    | -20°C - 180°C            |
| Pressure             | 10 bar                   |
| Size                 | 2"                       |

# DIMENSIONS

Lb 126 mm

ØDi-1 2 "

ØDi-2 2 "


F-1 28 mm

F-2 27.5 mm

Ct-1 83 mm

R 159.5 mm

ØDf 47.5 mm



# PRODUCT INFORMATION

High pressure full flow ball valve, long threaded. Stainless steel handles available.

**Last modified date: 04/11/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>